

Attorney Docket No. 010327

SUMMARY OF AMENDMENTS

RECEIVED
CENTRAL FAX CENTER

SEP 12 2006

1. **Claims 2-5, 8, 12-15 and 22-25 have been amended.** A complete list of pending claims follows.

The Listing of Claims will replace all prior versions and listings of claims in this patent application:

Attorney Docket No. 010327

LISTING OF CLAIMS

RECEIVED
CENTRAL FAX CENTER
SEP 12 2006

Please amend the claims as follows:

1. (Cancelled)
2. (Currently Amended) The method as set forth in Claim 8, wherein the predetermined criteria is a ~~function of the~~ function of chrominance information of the block.
3. (Currently Amended) The method as set forth in Claim 8, wherein the predetermined criteria is a ~~function of the~~ function of contrast of the block.
4. (Currently Amended) The method as set forth in Claim 8, wherein the predetermined criteria is a ~~function of the~~ function of a level of detail within the block.
5. (Currently Amended) The method as set forth in Claim 8, wherein the predetermined criteria is a ~~function of the~~ function of a desired bit rate.
6. (Cancelled)
7. (Previously Presented) The method as set forth in Claim 8, wherein dividing further comprises separating the digital image into Y, C_b and C_r components.
8. (Currently Amended) A method of decimating a digital image being represented by a plurality of pixels, ~~the method of the method~~ comprising:

Attorney Docket No. 010327

dividing the digital image into a plurality of blocks, wherein each block may be represented as a plurality of elements within a plurality of columns (m) and rows (n);

filtering each element of each column of the block, wherein for a given m^{th} column, weighting column $m-1$ 25%, weighting column m 50%, and weighting column $m+1$ 25%; and decimating, selectively, certain ones of the blocks based upon predetermined criteria.

9. (Original) The method as set forth in Claim 8, further comprising:

filtering each element of each row of the block, where given an n^{th} column, filtering further comprises weighting row $n-1$ 25%, weighting row n 50%, and weighting row $n+1$ 25%.

10. (Previously Presented) The method as set forth in Claim 8, further comprising converting the digital image from pixel representation to frequency representation.

11. (Cancelled)

12. (Currently Amended) The apparatus as set forth in Claim 18, wherein the predetermined criteria is a ~~function of the~~ function of chrominance information of the block.

13. (Currently Amended) The apparatus as set forth in Claim 18, wherein the predetermined criteria is a ~~function of the~~ function of contrast of the block.

14. (Currently Amended) The apparatus as set forth in Claim 18, wherein the predetermined criteria is a ~~function of the~~ function of a level of detail within the block.

15. (Currently Amended) The apparatus as set forth in Claim 18, wherein the predetermined criteria is a ~~function of the~~ function of a desired bit rate.

Attorney Docket No. 010327

16. (Cancelled)

17. (Previously Presented) The apparatus as set forth in Claim 18, wherein means for dividing further comprises means for separating the digital image into Y, C_b and C_r components.

18. (Previously Presented) An apparatus for decimating a digital image being represented by a plurality of pixels, the apparatus comprising:

means for dividing the digital image into a plurality of blocks, wherein each block may be represented as a plurality of elements within a plurality of columns (m) and rows (n);

means for filtering each element of each column of the block, wherein for a given m^{th} column, wherein means for filtering further comprises means for weighting column $m-1$ 25%, column m 50%, and column $m+1$ 25%; and

means for selectively decimating certain ones of the blocks based upon predetermined criteria.

19. (Original) The apparatus as set forth in Claim 18, means for decimating further comprising:

means for filtering each element of each row of the block, where given an n^{th} column, means for filtering further comprises means for weighting row $n-1$ 25%, row n 50%, and row $n+1$ 25%.

20. (Previously Presented) The apparatus as set forth in Claim 18, further comprising means for converting the digital image from pixel representation to frequency representation.

21. (Cancelled)

Attorney Docket No. 010327

22. **(Currently Amended)** The apparatus as set forth in Claim 28, wherein the predetermined criteria is a ~~function of the~~ function of chrominance information of the block.

23. **(Currently Amended)** The apparatus as set forth in Claim 28, wherein the predetermined criteria is a ~~function of the~~ function of contrast of the block.

24. **(Currently Amended)** The apparatus as set forth in Claim 28, wherein the predetermined criteria is a ~~function of the~~ function of a level of detail within the block.

25. **(Currently Amended)** The apparatus as set forth in Claim 28, wherein the predetermined criteria is a ~~function of the~~ function of a desired bit rate.

26. (Cancelled)

27. **(Previously Presented)** The apparatus as set forth in Claim 28, wherein the divider further comprises a separator, the separator configured to separate the digital image into Y, C_b and C_r components.

28. **(Previously Presented)** An apparatus for decimating a digital image being represented by a plurality of pixels, the method comprising:

a divider configured to divide the digital image into a plurality of blocks wherein each block may be represented as a plurality of elements within a plurality of columns (m) and rows (n); and

a decimator configured to selectively decimate certain ones of the blocks based upon predetermined criteria, said decimator comprising a filter configured to filter each element of each column of the block, wherein for a given m^{th} column, wherein the filter further comprises a weighter configured to weight column $m-1$ 25%, column m 50%, and column $m+1$ 25%.

29. (Original) The apparatus as set forth in Claim 28, wherein the filter is further configured to filter each element of each row of the block, where given an n^{th} column, the weighter is further configured to weight row $n-1$ 25%, row n 50%, and row $n+1$ 25%.

30. (Previously Presented) The apparatus as set forth in Claim 28, further comprising a converter configured to convert the digital image from pixel representation to frequency representation.

31. (Previously Presented) A method of converting a 4:4:4 digital image into a 4:2:2 digital image, the digital image represented by a plurality of pixels, the method comprising:
dividing the digital image into a plurality of blocks, wherein each block may be represented as a plurality of columns (m), each column m comprising a plurality of elements; and
selectively filtering each element of each column of the block, wherein for a given m^{th} column, filtering further comprises weighting column $m-1$ 25%; weighting column m 50%, and weighting column $m+1$ 25%.

32. (Cancelled)

33. (Previously Presented) A method of converting a 4:4:4 digital image into a 4:2:2 digital image, the digital image represented by a plurality of pixels, the method comprising:
separating the digital image into Y, C_b and C_r components;
dividing the C_b and C_r components into a plurality of blocks utilizing adaptive block size discrete cosine transforms (ABSDCT), wherein each block may be represented as a plurality of columns (m), each column m comprising a plurality of elements; and
selectively filtering each element of each column of the block, wherein for a given m^{th} column, wherein the step of filtering further comprises:
weighting column $m-1$ 25%;
weighting column m 50%; and

Attorney Docket No. 010327

weighting column $m+1$ 25%.

34. (Previously Presented) A processor for decimating a digital image being represented by a plurality of pixels, said processor being configured to:

divide the digital image into a plurality of blocks, wherein each block may be represented as a plurality of elements within a plurality of columns (m) and rows (n);

filter each element of each column of the block;

for a given m^{th} column, weight column $m-1$ 25%, column m 50%, and column $m+1$ 25%;
and

selectively decimate certain ones of the blocks based upon predetermined criteria.

35. (Previously Presented) A computer readable medium embodying a method for decimating a digital image being represented by a plurality of pixels, the method comprising:

dividing the digital image into a plurality of blocks, wherein each block may be represented as a plurality of elements within a plurality of columns (m) and rows (n);

filtering each element of each column of the block;

for a given m^{th} column, weighting column $m-1$ 25%, column m 50%, and column $m+1$ 25%; and

selectively decimating certain ones of the blocks based upon predetermined criteria.